# PATIO DOOR




by OKNA Windows





#### FEATURES & OPTIONS FOR ELEGANTE 7



Anodized Aluminum
Track/Threshold
Screen & roller tracks and threshold for increased strength, durability, and longevity.

Interpretable Quarter of the part of th



Interlocking Meeting Rail Quadruple weatherstripping, controls air/water/dust/noise infiltration. Full-length heavy gauge reinforcements for rigidity and strength.




FORESTER \*I

Thermally Welded Main Frame
Multichambered 55%" main frame, superior strength and insulation. Better thermal efficiency with optional foam.



PANORAMA E T F T , & UNLESS OTHERWISE NOTED.

Precision-Bearing
Tandem Rollers
Operating panels are equipped
with adjustable, precision
bearing tandem rollers for
smooth and quiet operation.



ThruVision PLUS® Screens Our fiberglass improvedvisibility screen (above), providing both durability and a less obstructed view than the industry average (below).

# Patio Door Pet Screen Optional

"Pet Screen" is seven times stronger than traditional insect screening and offers excellent outward visibility. Ideal for those areas prime for potential damage and heavy wear in high-traffic areas.



#### **Multipoint Locking System** Optional

Upgrade with optional Multipoint Locking System\*, with four locking points for added security and used with locking exterior hardware only.

\*Multipoint Locking System are standard with 4-panel Patio Doors.

#### Foot Lock Optional

Our push button spring-loaded foot lock is easy to lock and can be set to allow ventilation while having extra security.

Available in:



. .

**Euro-White Almond** 



Cocoa

\*Available for Onyx Black 8200/9200 only.

#### Retractable Mini Blinds Optional

Installed between the glass, retractable Mini Blinds allow light and privacy control by raising, lowering, and adjusting tilting.

Available on Elegante and Forester Patio Doors, for 5' & 6' only.









## **COLOR** Selections

OKNA offers six beautiful interior laminates in addition to our solid Almond and standard Euro-White, along with seven optional exterior stock colors and custom exterior colors from a virtually unlimited selection of environmentally safe and durable paints.

#### **Solid Color**

Same Interior and Exterior Colored Vinyl







## **Exterior Painted Colors**



<sup>\*</sup> Not available for Elegante | 8800 or Panorama E | 9000 Patio Doors.

## **Merit Lock System**

Our standard is a classic patio door handle that will match any home decor.



# **Intuition Lock System**

The ergonomic ONE-MOTION operation allows unlock/open in a single fluid motion.



**Euro-White** 





**Almond** Standard on Winchester

Cocoa

Standard on Melrose Cherry and Dark Oak

Coastal hardware available for coastal regions.





**Antique Brass** Brushed Nickel





# **Exterior Hardware**

We offer two options for exterior hardware on your patio door, locking and non-locking\*.

If you have a custom exterior color on your patio door, we will pick one of the hardware options to best match the color.

Exterior hardware selections are available in the following 4 colors:



\*4-Panel Patio Doors automatically use locking exterior hardware with their standard Multipoint Locking System.





Cocoa

**Matte Bronze** 

<sup>\*\*</sup> Surcharge applied for painted screens.

All colors except Euro-White are available at an additional charge. Printed colors may not match the product's color. Please visit a local dealer to view color samples.

# **Grids** Optional


# **OPTIONS | SIZING**

GBG (Grids Between Glass) consist of aluminum bars sealed in the insulating airspace between the two panes of glass... maintaining a flat glass pane surface that makes cleaning easy. GBG grids on two-tone windows are available with matching interior and exterior colors.\*

SDL (Simulated Divided Lites) are attached to the insulated glass surface, creating additional dimension and the appearance of individual lites. Interior grids are available in a Euro-White or Laminate. External grids are available in Euro-White or colors to match products exterior.\*\*

\* Nicol's Black available in Euro-White two-tone 11/16" Contour Grid ONLY. Custom Colors are not available for GBG.

<sup>\*\*</sup>Available for double pane only. Not available for triple pane glass.



# **Specialty Glass** Optional


OKNA offers specialty glass in a variety of distinctive choices that add visual interest to any design while offering variability in light control. Shown below is our Obscure textured glass. With a range of options at your fingertips, you can find the glass choice for your application and aesthetic, from traditional to modern. Here are available glass options:

Textured For increased privacy For increased strength

Tempered

Laminated For increased impact resistance and noise reduction **Custom Configuration** For more aesthetic choices

Obscure



# The Glass Unit

The glass unit about 90% of the whole window and is one of the most important elements. Your decision will dramatically affect your living comfort and expenses for many years.


#### **Examples of Condensation**

Excess condensation will cause water, ice, and mold to collect on your windows. The right spacer can significantly reduce the risk of condensation and its aftermath.



### **High Performance Reflective Glass Coatings**


HeatSeal® heat reflective coatings are microscopically thin layers of metal & metal oxide that act like a filter – some energy is transmitted, some energy is reflected.



#### High Performance HeatSeal® Spacer


A spacer separates the panes in an insulated glass unit, sealing the gas within its space. The main disadvantage to metal spacers used by most in the indsutry is energy loss and condensation.

OKNA's HeatSeal® Spacer and sealant system is made with six individual nonmetallic components, produced in a controlled factory setting. It is IGU-ready out of the box, applied in a one-step process by OKNA's state-of-the-art robotic assembly line that seals the unit with heat and compression. HeatSeal® helps your home achieve the warmest glass and least condensation possible.




Super Spacer® is a registered trademark of Edgetech I.G., Inc/ • Intercept® is a registered trademark of PPG Industries, Inc. DuraSeal is a registered trademark of TruSeal Technologies, Inc. Swiggle is a registered trademark of TruSeal Technologies, Inc. Simulation performed by Enermodal engineering, Ltd. using Window 5.2. All air spaces are 0.562" wide 0.033 emittance low-E glass.

#### **HEATSEAL** GLASS **HEATSEAL® TRIPLE GLASS**



In climates where heating and cooling are the primary concern, HeatSeal® Glass products are designed to take advantage of free solar heat, resulting in higher inside glass temperature. Passive solar and thermal insulation reduce the draft sensation caused by cold glass surfaces, providing windows that reduce heating costs.

#### SUNSEAL® GLASS



In climates where cooling is your main concern, SunSeal® Glass products are designed to reduce solar heat while still providing color neutrality. This solar control property, combined with thermal insulating benefits, results in beautiful, natural-looking glass that helps keep air conditioning costs low.

# TOMORROW'S WINDOWS TODAY



\* Not available for Elegante | 8800 or Panorama E | 9000 Patio Doors.

#### THERMAL PERFORMANCE

Please use the QR code or the text link to access the most up-to-date Patio Door thermal performance numbers.













OKNA Windows products within this series have been recognized as the Most Efficient of ENERGY STAR 2024.

XR9: Triple pane glass, 15/16" XR10: Triple pane glass, 15/16" XR13: Triple pane glass, 1-3/16", PD Only XR14: Triple pane glass, 1-3/16", PD Only XR15: Triple pane glass, 1-1/16" | AG: Argon Gas KR: Krypton Gas Numbers are based off of windows tested without grids. | The results are based on a tested window sample by AAMA testing window guidelines. Title of Test & Method: Air Infiltration - ASTME 283 75 PA - (1.6 psf) 25 mph.



All illustrations, photographs, and specifications in this publication are based on the latest product information available at the time of printing. Some windows shown with optional features. See actual product for complete accuracy. The manufacturer reserves the right to alter or discontinue any model or specification without notice. Printed colors may not match the product's actual color. Please visit a local dealer to view actual color samples.





